


- (D)  -NH-Sicherungs-Lastschaltleiste 00/185 mm
 (GB)  -NH Fuse-Switches, vertical design 00/185 mm
 (PL)  -NH Rozłącznik bezpiecznikowy listwowy n.n 00/185 mm
 (ES)  -NH Interruptor-Seccionador vertical para fusibles 00/185 mm
 (RU)  -NH Предохранитель-выключатель нагрузки-разъединитель вертикальной конструкции размера 00/185 mm



- | | | | | |
|--|---|--|--|--|
| <p>(D)</p> <ul style="list-style-type: none"> • Sicherungseinsätze und Trennmesser mit versilberten Oberflächen einsetzen. • Zügig schalten. | <p>(GB)</p> <ul style="list-style-type: none"> • Use silver-coated fuse-links and solid links. • Operate quickly. | <p>(PL)</p> <ul style="list-style-type: none"> • Wkładki bezpiecznikowe oraz zwieracze nożowe stosuj wyłącznie srebrzone • Łączyć szybko | <p>(ES)</p> <ul style="list-style-type: none"> • utilizar fusibles de cuchilla con contactos plateados • rápida maniobra | <p>(RU)</p> <ul style="list-style-type: none"> • применять предохранители и разъединительные ножи только с посеребрёнными контактами • включать и разъединять быстро |
|--|---|--|--|--|

EN/IEC 60947-3
VDE 0660 T107

